

<u>Skin:</u>

Eyes:

depression.

Moderately irritating to the eyes.

Pro	epared to OSHA, ACC, AN	ISI, NOHSC, WHM	IS, 2001/58 & 1272/200	8/EC Standard	s SDS Revision: 1.	SDS Revision Date: 11/12/2019			
		1.	PRODUCT & C	OMPANY	IDENTIFICATIO	 วท			
1	Product Name:	affresh [®] stainle	ess steel cleaning spray						
2	Chemical Name:								
.3	Synonyms:	Stainless Spray							
.4	Trade Names:	affresh [®] stainle	esh® stainless steel cleaning spray						
.5	Product Uses & Restrictions	Professional an	and Household Use						
.6	Distributor's Name:	Whirlpool Corp	ortation						
.7	Distributor's Address:	2000 N. M-63,	Benton Harbor, MI 4902	2					
.8	Emergency Phone:		bison Control Center (Medical): (866) 366-5048; CHEMTREC: +1 (<u>800) 424-9300 /+1 (703)527-3887</u>						
.9	9 Business Phone / Fax: 1-800-643-0961 (USA), 1-888-253-2668 (CANADA)								
			2. HAZARDS		CATION				
.1	Hazard Identification:	This product is	classified as a HAZARDO			nication Standard			
		(29CFR 1910.12 WARNING! FLA CAUSES EYE IRI Classification: C Hazard Stateme Flammable Aer Gases under Pr Causes eye irrit Precautionary S P210 – Keep av Smoking. P211 or burn, even a Rinse cautiousl rinsing. P337+P Protect from su of contents/con	200) MMABLE AEROSOL. PRE RITATION. Category 2 Flammable Ac ents : osol- Category 2 essure – Liquefied Gas ation –Category 2 - Sub	erosol category B ces, sparks, op en flame or ot boroughly after minutes. Remo rsists: Get med temperature e eermitted dispo	en flames and other igr her ignition source. P25 handling. P305+P351+ ove contact lenses, if pr dical advice/attention. I xceeding 50°C (122 °F). osal or recycling facility.	F HEATED. hition sources. No 51 – Do not pierce +338 – IF INEYES; resent, continue P410+P412 – . P501 – Dispose			
Subs	tance / Chemical	CAS No.	EINECS No.			ATION			
Nam									
	UTANE	75-28-5	200-857-2	1 - 10	Flam. Gas 1; H220				
ROF	PANE	74-98-6	200-827-9	1 - 10	Press. Gas 1; Flam.	Gas 1; H220			
			4. FIRST A	AID MEAS	SURES				
1.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.						
		<u>Skin:</u>	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothin and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.						
		<u>Eyes:</u>	Raise and lower eyelid immediate medical att	(s) while flush tention.	ng to ensure thorough	kewarm water for at least 15 minutes. irrigation. If problems persist seek			
		Inhalation:	Remove victim to fresh	h air and keep	comfortable for breath	ling.			
.2	Effects of Exposure:	Ingestion:	If product is swallowed	d, may cause n	ausea, vomiting and/or	r diarrhea and central nervous system			

May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis)

in some sensitive individuals upon prolonged or repeated exposure.



		Inhalation:	Vapors of this product may be moderately irritatin respiratory system. Symptoms of overexposure ca and difficulty breathing. Inhalation of concentrate (e.g., drowsiness, dizziness, headaches, nausea).	an include coughing, wheezing, n	asal congestion,				
4.3	Symptoms of Overexposure	Ingestion:	May cause nausea, vomiting and/or diarrhea and o	central nervous system depression	on.				
		Skin:	Prolonged contact with skin may result in bleachin allergic skin reactions (e.g., rashes, welts, dermatin overexposure may include redness, itching, and in	ng and irritation of skin. The proc tis) in some sensitive individuals.	duct can cause				
		Eyes:	Overexposure may melde redress, redring, and initiation of directed areas. Overexposure in eyes, may cause redness, itching and watering (risk of serious damage to eyes) Contact may cause mild eye irritation including stinging, watering and redness.						
		Inhalation:	Symptoms of overexposure can include coughing, breathing.		difficulty				
4.4	Acute Health Effects:		Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.						
4.5	Chronic Health Effects:	be irritating to symptoms in so allergic dermat		ory system. Overexposure may t	rigger asthma-lik				
4.6	Target Organs:		piratory system.		-				
4.7	Medical Conditions			HEALTH	1				
	Aggravated by Exposure		ng properties to eyes, respiratory system and skin. tological conditions (such as eczema) and	FLAMMABILITY PHYSICAL HAZARDS	3				
		-	nditions (such as bronchial asthma and/or	PROTECTIVE EQUIPMENT	B				
			y be exacerbated.	EYES SKIN					
					ł				
			5. FIREFIGHTING MEASURES						
5.1	Fire and Explosion Hazards: Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120° F. Cool uninvolved								
5.1	Fire and Explosion Hazards:	Level 1 Aeroso	I (NFPA 30B). Aerosols may burst at temperatures al	bove 120° F. Cool uninvolved					
5.1	Fire and Explosion Hazards:	containers to p	prevent possible bursting. Aerosols may be projectile	e hazards when bursting. If					
5.1	Fire and Explosion Hazards:	containers to p aerosols are bu	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain	e hazards when bursting. If ers may rupture and release					
5.1	Fire and Explosion Hazards:	containers to p aerosols are bu flammable liqu	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi	e hazards when bursting. If ers may rupture and release					
		containers to p aerosols are bu flammable liqu spraying them	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished.	e hazards when bursting. If ers may rupture and release	3				
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by	3				
5.2		containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ng apparatus (pressure-					
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_ and f	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by g apparatus (pressure- after the fire is out. Use water	130				
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_ and f spray to cool fi	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ng apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff					
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ng apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural					
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight	e hazards when bursting. If ers may rupture and release re. Keep containers cool by g apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self-					
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a	e hazards when bursting. If ers may rupture and release re. Keep containers cool by g apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self-					
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a thing apparatus to protect against potential hazardo products and oxygen deficiencies.	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or					
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a athing apparatus to protect against potential hazardo products and oxygen deficiencies.	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or	1 0				
5.2	Extinguishing Methods:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a athing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or	al Protective				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a athing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona					
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a thing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup (E). ar appropriate personal protective equipment includia aterial such as vermiculite or sand to soak up the pro-	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe poduct and place into a container	ar. Use a non- for later disposa				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH- athing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup (E). ar appropriate personal protective equipment includ aterial such as vermiculite or sand to soak up the pro- ter or a material such as "speedy dry" to soak up material such as the speedy dry" to soak up the pro-	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe oduct and place into a container terial. Sweep up material using r	ar. Use a non- for later disposation-sparking				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat materials (e.g.,	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking v efighters must use full bunker gear including NIOSH-a thing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup (E). ar appropriate personal protective equipment includia aterial such as vermiculite or sand to soak up the pro-	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe oduct and place into a container terial. Sweep up material using r	ar. Use a non- for later disposa non-sparking				
5.1 5.2 5.3 6.1	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, w demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat materials (e.g., container.	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking we efighters must use full bunker gear including NIOSH-a thing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup (E). ar appropriate personal protective equipment incluce aterial such as vermiculite or sand to soak up the pro- ter or a material such as "speedy dry" to soak up mat plastic brooms, shovels, dustpans) and place into a p	e hazards when bursting. If ers may rupture and release re. Keep containers cool by ng apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES po must wear appropriate Persona ding gloves and protective eyewe oduct and place into a container terial. Sweep up material using r plastic container or plastic liner v	ear. Use a non- for later disposal non-sparking vithin another				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat materials (e.g., container. Large spills: Ke	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi- with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking efighters must use full bunker gear including NIOSH-a athing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup E). ar appropriate personal protective equipment includ aterial such as vermiculite or sand to soak up the pro- ter or a material such as "speedy dry" to soak up mat plastic brooms, shovels, dustpans) and place into a pep incompatible materials (e.g., organics such as oil)	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe oduct and place into a container terial. Sweep up material using r plastic container or plastic liner v away from spill. Stay upwind an	ear. Use a non- for later disposa non-sparking vithin another d away from spil				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat materials (e.g., container. Large spills: Ke release. Isolato	brevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain hids and/or exposed gases if exposed to the heat of fi with water until the fire has been extinguished. Am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking we effighters must use full bunker gear including NIOSH-a thing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup E). ar appropriate personal protective equipment include ater or a material such as "speedy dry" to soak up mate plastic brooms, shovels, dustpans) and place into a pep incompatible materials (e.g., organics such as oil) e immediate hazard area and keep unauthorized per	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe boduct and place into a container terial. Sweep up material using r plastic container or plastic liner v away from spill. Stay upwind an isonnel out of area. Stop spill or	ear. Use a non- for later disposa non-sparking vithin another d away from spi release if it can l				
5.2	Extinguishing Methods: Firefighting Procedures:	containers to p aerosols are bu flammable liqu spraying them Water Fog, Foa As in any fire, v demand_ and f spray to cool fi from fire contr waterway. Fire contained brea decomposition Before cleaning Equipment (PP <u>Small spills</u> We combustible m Do not use wat materials (e.g., container. Large spills: Ke release. Isolato	prevent possible bursting. Aerosols may be projectile ursting, stay clear until bursting is complete. Contain ids and/or exposed gases if exposed to the heat of fi- with water until the fire has been extinguished. am, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathin full protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking efighters must use full bunker gear including NIOSH-a athing apparatus to protect against potential hazardo products and oxygen deficiencies. 6. ACCIDENTIAL RELEASE MEASU g any spill or leak, individuals involved in spill cleanup E). ar appropriate personal protective equipment includ aterial such as vermiculite or sand to soak up the pro- ter or a material such as "speedy dry" to soak up mat plastic brooms, shovels, dustpans) and place into a pep incompatible materials (e.g., organics such as oil)	e hazards when bursting. If ers may rupture and release ire. Keep containers cool by ag apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self- bus combustion or IRES p must wear appropriate Persona ding gloves and protective eyewe boduct and place into a container terial. Sweep up material using r plastic container or plastic liner v away from spill. Stay upwind an isonnel out of area. Stop spill or	ear. Use a non- for later disposa non-sparking vithin another d away from spi release if it can l				



7.1	Work & Hygiene Practices	Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.				
7.2	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct					
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.				

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits:		A	CGIH		NOHSC		C	OSHA	OTHER	
	Ppm (mg/m ³)	Chemical Name(s)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		ISOBUTANE	600	750	NF	NF	NA	NA	NA	NA	
		PROPANE	1000	NA	1000	NF	NF	1000	NA	2100	
8.2	Ventilation & Engineering Controls	General mechanical exhaust ventilation t product.									
8.3	Respiratory Protection:	No special respirato In instances where c use only protection Canadian CAS Stand States, or Australia.	lusts of this authorized b	product are g y 29 CFR §19	enerated, a 10.134, app	nd respira licable U.S	tory protec S. State reg	ction is i ulations	needed, s, or the		
8.4	Eye Protection:		None required under normal conditions of use. Avoid eye contact. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)).								
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.									
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. P	HYSICAI	& CHEN	/ICAL P	ROPE	RTIES				
9.1	Appearance:	Aerosol, Spray Foam									
9.2	Odor:	Fresh Fruit									
9.3	Odor Threshold	NA									
9.4	pH:	6.0 - 8.0									
9.5	Melting/Freezing Point	NA									
9.6	Initial Boiling Point/ Boiling Range:	NA									
9.7	Flashpoint:	-30 °F (-34 °C) TCC fo	or propellant	only.							
9.8	Upper/Lower Flammability limits	NA									
9.9	Vapor Pressure:	@ 20 °C (68° F) – Ca	n pressure n	ot to exceed :	180 psig @	55 °C (131	°F) 12.4 ba	ar			
9.10	Vapor Density	>1									
	Relative Density:	0.95 – 1.005									
	Solubility:	Soluble									
	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature.	NA									
	Viscosity:	Aerosol at ambient	emperature								

affresh.
APPLIANCE CARE

9.17		SI, NOHSC, WHMIS, 200	1/58 & 1272/2008	Sylec Standards SDS Re	vision: 1. S	DS Revision Date: 11/12/201	19			
	Other Information:	Evaporation Rate >1: F	Percent Volatile <	12%						
			lo. stabili	TY & REACTIVIT	1					
10.1	Stability:	Stable at normal temp			•					
	Hazardous Decomposition Products:	Oxides of carbon (CO,		O ₂)						
10.3	Hazardous Polymerization:	Will not occur.								
10.4		Excessive heat, direct	sunlight, flames, h	neat sources and incompa	tible substances					
10.5	Incompatible Substances									
	1 •		·							
		11.	TOXICOLOG	GICAL INFORMA	ΓΙΟΝ					
11.1	Routes of Entry:	Inhalation:	YES	Absorption:	YES	Ingestio n: YES	5			
11.2	Toxicity Data:	This product was not t this document.	ested on animals.	Toxicology data, found in	n scientific litera	ture, is available and not pre	esented			
11.3	Acute Toxicity:	See Section 4.4								
11.4	Chronic Toxicity:	See Section 4.5								
	Suspected Carcinogen:	No.								
11.6	Reproductive Toxicity:	This product is not rep	orted to cause re	productive toxicity in hum	ians.					
	Mutagenicity:	This product is not rep	orted to produce	mutagenic effects in hum	ans.					
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.								
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.								
	Reproductive Toxicity:	This product is not rep	ort to cause repro	oductive effects in human	S.					
11.7	Irritancy of Product:	See Section 4.3								
	Biological Exposure Indices:	NA								
11.9	Physician Recommendations:	Treat symptomatically								
		12	. ECOLOGI	CAL INFORMATIO	ON					
17 1	Environmental Stability:	There is no specific da	ta available for th	is product.						
12.I		There is no specific data available for this product. There is no specific data available for this product.								
	Animals					The product itself has not been tested as a whole. There is no specific data available for this product.				
12.2		-		s a whole. There is no spe	ecific data availa	ble for this product.				
12.2	Animals	The product itself has	not been tested a			ble for this product.				
12.2 12.3	Animals Effects on Aquatic Life:	The product itself has 13	not been tested a	CONSIDERATIO	NS					
12.2 12.3	Animals Effects on Aquatic Life:	The product itself has 13 Review current local, s appropriate disposal n local, state and federa facility or waste haule	not been tested a DISPOSAL state and federal I nethod for the ing I laws and regulat r must provide tre	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag	NS regulations to de 2. Any disposal riate agency for	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1	Animals Effects on Aquatic Life:	The product itself has 13 Review current local, s appropriate disposal n local, state and federa	not been tested a DISPOSAL state and federal I nethod for the ing I laws and regulat r must provide tre	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag	NS regulations to de 2. Any disposal riate agency for	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1	Animals Effects on Aquatic Life: Waste Disposal:	The product itself has 13 Review current local, s appropriate disposal n local, state and federa facility or waste haule U.S. EPA Hazardous W	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001)	NS regulations to de 2. Any disposal riate agency for e and disposal c	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations:	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T	not been tested a DISPOSAL itate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA	NS regulations to de 2. Any disposal riate agency for e and disposal c	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations:	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2	not been tested a DISPOSAL state and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC	CONSIDERATIO aws, codes, statutes and r predients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \leq 1.0$ L); or	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2 14.1	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND):	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOD	not been tested a DISPOSAL state and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC DITY, ORM-D (IP V	CONSIDERATIO aws, codes, statutes and r predients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \leq 1.0 L$; or $OL \leq 1.0 L$ – until 12/31/2	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2 14.1	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations:	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMODE UN1950, AEROSOLS, F	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC DITY, ORM-D (IP V LAMMABLE, 2.1 (CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \leq 1.0$ L); or $OL \leq 1.0$ L) – until 12/31/2 LTD QTY, IP VOL ≤ 0.5 L);	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2 14.1 14.2	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND): IATA (AIR)	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOE UN1950, AEROSOLS, F ID8000, CONSUMER C	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC DITY, ORM-D (IP V LAMMABLE, 2.1 (OMMODITY, ORM	CONSIDERATIO aws, codes, statutes and r predients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \leq 1.0 L$; or $OL \leq 1.0 L$; or $OL \leq 1.0 L$) – until 12/31/2 LTD QTY, IP VOL $\leq 0.5 L$; 1-D (IP VOL $\leq 0.5 I = L$)	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2 14.1 14.2 14.3	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND): IATA (AIR) IMDG (OCN):	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOE UN1950, AEROSOLS, 7 ID8000, CONSUMER C UN1950, AEROSOLS, 2	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC DITY, ORM-D (IP V LAMMABLE, 2.1 (OMMODITY, ORM .1 (LTD QTY, IP VC	CONSIDERATIO aws, codes, statutes and r predients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \le 1.0 L$; or $OL \le 1.0 L$; or $OL \le 1.0 L$; or $OL \le 1.0 L$; PVOL $\le 0.5 L$; $T-D (IP VOL \le 0.5 I=L)$ $DL \le 1.0 L$)	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020	etermine current status and practice must be in compliar specific information. A licen				
12.2 12.3 13.1 13.2 14.1 14.2 14.3	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND): IATA (AIR)	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOE UN1950, AEROSOLS, 7 ID8000, CONSUMER C UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT .1 (LTD QTY, IP VC DITY, ORM-D (IP V) LAMMABLE, 2.1 (OMMODITY, ORM .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC	CONSIDERATIO aws, codes, statutes and r predients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \leq 1.0 L$; or $OL \leq 1.0 L$; or $OL \leq 1.0 L$; or $OL \leq 1.0 L$; O $DL \leq 1.0 L$ $DL \leq 1.0 L$ $DL \leq 1.0 L$; or	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020 or	etermine current status and practice must be in compliar specific information. A licen of hazardous waste.				
12.2 12.3 13.1 13.2 14.1 14.2 14.3 14.4	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND): IATA (AIR) IMDG (OCN): TDGR (Canadian GND):	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOD UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 MARK PACKAGE "LIMI	not been tested a DISPOSAL tate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT, .1 (LTD QTY, IP VC DITY, ORM-D (IP V) LAMMABLE, 2.1 (OMMODITY, ORM .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \le 1.0 L$; or $OL \le 1.0 L$; or $OL \le 1.0 L$; or $DL \le 1.0 L$; $DL \le 1.0 L$; $DL \le 1.0 L$; $DL \le 1.0 L$; or "LTD QTY", OR "QUANT LT	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020 or	etermine current status and practice must be in compliar specific information. A licen of hazardous waste.				
12.2 12.3 13.1 13.1 14.1 14.2 14.3 14.4 14.5	Animals Effects on Aquatic Life: Waste Disposal: Special Considerations: 49 CFR (GND): IATA (AIR) IMDG (OCN):	The product itself has 13 Review current local, s appropriate disposal m local, state and federa facility or waste haule U.S. EPA Hazardous W 14. T UN1950, AEROSOLS, 2 CONSUMER COMMOE UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 UN1950, AEROSOLS, 2 MARK PACKAGE "LIMI UN1950, AEROSOLS, 2	not been tested a DISPOSAL itate and federal I nethod for the ing I laws and regulat r must provide tre aste – Characteris RANSPORT, .1 (LTD QTY, IP VC DITY, ORM-D (IP V LAMMABLE, 2.1 (OMMODITY, ORM .1 (LTD QTY, IP VC .1 (LTD QTY, IP VC TED QUANTITY", .1 (LTD QTY, IP VC	CONSIDERATIO aws, codes, statutes and r redients listed in Section ions. Contact the approp eatment, transport, storag stic – Ignitable (D001) ATION INFORMA $DL \le 1.0 L$; or $OL \le 1.0 L$; or $OL \le 1.0 L$; or $DL \le 1.0 L$; $DL \le 1.0 L$; $DL \le 1.0 L$; $DL \le 1.0 L$; or "LTD QTY", OR "QUANT LT	NS regulations to de 2. Any disposal riate agency for e and disposal c ATION 020 or	etermine current status and practice must be in compliar specific information. A licen of hazardous waste.				



SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1. SDS

SDS Revision Date: 11/12/2019

		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics)
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)
15.7	State Regulatory Information:	<u>Isobutane</u> is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know list (PA), New Jersey Right-to-Know List (NJ). <u>Propane</u> can be found on the following state criteria lists: MA, MN, PA, WA and NJ. No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following
		state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Isobutane:</u> Flammable (F). <u>Risk Phrases</u> (R) 12 – Highly Flammable. <u>Safety Phrases</u> (S): 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking. <u>Propane</u> : : Flammable (F). Risk Phrases (R) 12 – Highly Flammable. Safety Phrases (S): 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking.
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION. Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperature exceeding 50 °C (122 °F). IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of Whirlpool Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or complete=ness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.



			Page 7 of 7
APPLIANCE CARE	SAFETY DATA SH	IEET	
Prepared to OSHA, ACC, ANSI, NOHSC, W	'HMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.	SDS Revision Date: 11/12/2019
Full Face Respirator	Reactive	Irritant /	Harmful
			3
Biohazard	Oxidizing	Flamm	nable
Infectious	Corrosive	Compr	essed
Тохіс	Irritation		