

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.

SDS Revision Date: 11/12/2019

		1. PRODUCT & COMPANY IDENTIFICATION
1.1	Product Name:	affresh® stainless steel mousse
1.2	Chemical Name:	Aerosol Foam Mousse
1.3	Synonyms:	Stainless Steel Mousse Cleaner
1.4	Trade Names:	affresh® stainless steel cleaner
1.5	Product Uses & Restrictions	Professional and Household Use
1.6	Distributor's Name:	Whirlpool Corporation
1.7	Distributor's Address:	2000 N. M-63, Benton Harbor, MI 49022
1.8	Emergency Phone:	Poison Control Center (Medical): (866) 366-5048; CHEMTREC: +1 (800) 424-9300 /+1 (703)527-3887
1.9	Business Phone / Fax:	1-800-643-0961 (USA), 1-888-253-2668 (CANADA)
	·	
		2. HAZARDS IDENTIFICATION
2.1	Hazard Identification:	This product is classified as a HAZARDOUS by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200) WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. CAUSES EYE IRRITATION. Classification: Category 2 Flammable Aerosol Hazard Statements : Flammable Aerosol- Category 2 Gases under Pressure – Liquefied Gas Causes eye irritation –Category 2 - Sub category B Precautionary Statement (P): P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. P211 – Do not spray on an open flame or other ignition source. P251 – Do not pierce or burn, even after use. P264 – Wash thoroughly after handling. P305+P351+338 – IF INEYES;

Rinse cautiously with water for several minutes. Remove contact lenses, if present, continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P410+P412 – Protect from sunlight. Do no expose to temperature exceeding 50°C (122 °F). P501 – Dispose of contents/container to licensed and permitted disposal or recycling facility.

3. COMPOSITION & INGREDIENT INFORMATION

Substance / Chemical Name(s)	CAS No.	EINECS No.	%	Other
ISOBUTANE	75-28-5	200-857-2	1 - 10	Flam. Gas 1; H220
PROPANE	74-98-6	200-827-9	0.1 - 10	Press. Gas 1; Flam. Gas 1; H220

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		<u>Skin:</u>	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.
		<u>Eyes:</u>	If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.
		Inhalation:	Remove victim to fresh air and keep comfortable for breathing.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.
		<u>Skin:</u>	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
1		Eyes:	Moderately irritating to the eyes.



Page **2** of **7**

B-984 D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.	SDS Revision Date: 11/12/2019
-----------------------------------------------------------------------------	------------------	-------------------------------

		Inhalation:	Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).				
4.3	Symptoms of Overexposure	Ingostion					
4.3	Symptoms of Overexposure	xposure Ingestion: May cause nausea, vomiting and/or diarrhea and central nervous system depression. Prolonged contact with skin may result in bleaching and irritation of skin. The product can allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Sympto overexposure may include redness, itching, and irritation of affected areas.					
		<u>Eyes:</u>	Overexposure in eyes, may cause redness, itching Contact may cause mild eye irritation including st		e to eyes)		
		Inhalation:	Symptoms of overexposure can include coughing breathing.	, wheezing, nasal congestion, and diff	iculty		
4.4	Acute Health Effects:	drowsiness, dizz	tion to eyes and skin near affected areas. Addition iness, headaches and nausea.	· · · · · · · · · · · · · · · · · · ·			
4.5	Chronic Health Effects:	be irritating to s	hronic health effects are expected to occur from a kin and mucous membrane of the eye and respira me sensitive individuals. May also induce skin sen tis.	tory system. Overexposure may trigge	er asthma-like		
4.6	Target Organs:	Eyes, skin, respi	ratory system.				
4.7	Medical Conditions	Acute health ha	zards may be delayed. Most common symptoms	HEALTH	1		
	Aggravated by Exposure		g properties to eyes, respiratory system and skin.	FLAMMABILITY	3		
			ological conditions (such as eczema) and	PHYSICAL HAZARDS	0		
			ditions (such as bronchial asthma and/or	PROTECTIVE EQUIPMENT	В		
		bronchitis) may	be exacerbated.	EYES SKIN			
			5. FIREFIGHTING MEASURES				
5.1 5.2 5.3	Fire and Explosion Hazards: Extinguishing Methods: Firefighting Procedures:	containers to pr aerosols are bur flammable liquid spraying them v Water Fog, Foar As in any fire, w demand_ and fu spray to cool fir- from fire contro waterway. Firef contained breat	(NFPA 30B). Aerosols may burst at temperatures a revent possible bursting. Aerosols may be projecti rsting, stay clear until bursting is complete. Contai ds and/or exposed gases if exposed to the heat of vith water until the fire has been extinguished. m, CO ₂ , Dry Chemical ear MSHA/NIOSH approved self-contained breathi ull protective gear. Keep containers cool until well e-exposed surfaces and to protect personnel. Figh of or dilution from entering sewers, drains, drinking fighters must use full bunker gear including NIOSH hing apparatus to protect against potential hazard products and oxygen deficiencies.	le hazards when bursting. If ners may rupture and release fire. Keep containers cool by ing apparatus (pressure- after the fire is out. Use water after the fire is out. Use water it fire upwind. Prevent runoff water supply, or any natural -approved positive pressure self-			
		e	6. ACCIDENTIAL RELEASE MEASU	JRES			
6.1	Spills:	Equipment (PPE <u>Small spills</u> Wea combustible ma Do not use wate materials (e.g., J container. <u>Large spills:</u> Kee release. Isolate	any spill or leak, individuals involved in spill cleanue). In appropriate personal protective equipment inclu Iterial such as vermiculite or sand to soak up the p er or a material such as "speedy dry" to soak up ma plastic brooms, shovels, dustpans) and place into a p incompatible materials (e.g., organics such as oil immediate hazard area and keep unauthorized pe nal risk. Wear appropriate protective equipment i	Iding gloves and protective eyewear. roduct and place into a container for l aterial. Sweep up material using non- plastic container or plastic liner withi) away from spill. Stay upwind and av pronnel out of area. Stop spill or relea	Use a non- ater disposal. sparking in another way from spill or ase if it can be		
		7. H	ANDLING AND STORAGE INFOR	MATION			



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1. SDS Revision Date: 11/12/2019

7.1	Work & Hygiene Practices	Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.		
7.2	Storage and Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying, keep cap in place when not in use. Storage level 2.		
7.3	7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.			

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits:		AC	GIH		NOHSC			OSHA	OTHER	
	Ppm (mg/m ³)	Chemical Name(s)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		ISOBUTANE	600	750	NF	NF	NA	NA	NA	NA	
		PROPANE	1000	NA	1000	NF	NF	1000	NA	2100	
8.2	Ventilation & Engineering Controls	General mechanical exhaust ventilation t product.									-
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
3.4	Eye Protection:	None required under normal conditions of use. Avoid eye contact. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)).									
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.									
8.6	Body Protection:	No apron required w lbs.), eye wash static activities involving la soap and water.	on and delug	e showers sh	ould be ava	ilable. Up	on comple	tion of	work		

	9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Appearance:	Aerosol, Spray Foam				
9.2	Odor:	Fresh Fruit				
9.3	Odor Threshold	NA				
9.4	pH:	6.0 - 8.0				
9.5	Melting/Freezing Point	NA				
9.6	Initial Boiling Point/	NA				
	Boiling Range:					
9.7	Flashpoint:	-30 °F (-34 °C) TCC for propellant only.				
9.8	Upper/Lower	NA				
	Flammability limits					
9.9	Vapor Pressure:	@ 20 °C (68° F) – Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar				
9.10	Vapor Density	>1				
9.11	Relative Density:	0.95 – 1.005				
9.12	Solubility:	Soluble				
9.13	Partition Coefficient	NA				
	(log P _{ow}):					
9.14	Autoignition	NA				
	Temperature:					
9.15	Decomposition	NA				
	Temperature.					
9.16	Viscosity:	Aerosol at ambient temperature				



Page **4** of **7**

B-9846 D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.

SDS Revision Date: 11/12/2019

9.17	Other Information:	Evaporation Rate >1: Percent Volatile < 12%
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable at normal temperatures.
	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂)
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product was not tested on animals. Toxicology data, found in scientific literature, is available and not presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3
11.8	Biological Exposure Indices:	NA
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	The product itself has not been tested as a whole. There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with
		local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)
		14. TRANSPORTATION INFORMATION
14.1	49 CFR (GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL \leq 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL \leq 1.0 L) – until 12/31/2020
14.2	IATA (AIR)	UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL < 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL < 0.5 I=L)
14.3	IMDG (OCN):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)
14.4	TDGR (Canadian GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"
14.5	ADR/RID (EU):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)
	SCT (MEXICO):	UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL \leq 1.0 L)
	ADGR (AUS):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL <u><</u> 1.0 L)
		15. REGULATORY INFORMATION



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1. SDS Revision Date: 11/12/2019

15.1	SARA Reporting Requirements:	This product does not contain any substance subject to SATA Title III, section 313 reporting requ	uirements.				
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.					
15.4	CERCLA Reportable Quantity (RQ):	NA					
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 ((Cosmetics)	CFR Subchapter G.				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)					
15.7	State Regulatory Information:	Isobutane is found on the following state criteria lists: Massachusetts Hazardous Substances Lis Right-to-Know list (PA), New Jersey Right-to-Know List (NJ). Propane can be found on the following state criteria lists: MA, MN, PA, WA and NJ. No other ingredients of this product, present in a concentration of 1.0% or greater, are listed or state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE). Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substance Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin H List (WI).	n any of the following , Florida Toxic es List (MI), Minnesota tances List (NY),				
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Isobutane:</u> Flammable (F). <u>Risk Phrases</u> (R) 12 – Highly Flammable. <u>Safety Phrases</u> (S): 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking. <u>Propane</u> : : Flammable (F). Risk Phrases (R) 12 – Highly Flammable. Safety Phrases (S): 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking.	×				
	16. OTHER INFORMATION						

16.1	Other Information:	 WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION. Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperature exceeding 50 °C (122 °F). IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN. 					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	 See last page of this safety bata sheet. This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of Whirlpool Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 					




Page **6** of **7**

B-9846 D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.

SDS Revision Date: 11/12/2019





Page **7** of **7**

B-9846 D

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.

SDS Revision Date: 11/12/2019

Full Face Respirator	Reactive	Irritant / Harmful
Biohazard	Oxidizing	Flammable
Infectious	Corrosive	Compressed
Toxic	Irritation	