

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.

SDS Revision Date: 01/18/2017

		1. PRODUCT & COMPANY IDENTIFICATION
1.1	Product Name:	affresh® Stainless Steel Cleaning Mousse
1.2	Chemical Name:	Aerosol Foam Mousse; B-8984D
1.3	Synonyms:	Stainless Steel Mousse Cleaner; W11042466
1.4	Trade Names:	affresh® Stainless Steel Cleaning Mousse
1.5	Product Uses &	Professional and Household Use
1.5	Restrictions	
1.6	Distributor's Name:	Whirlpool Corporation
1.7	Distributor's Address:	2000 N. M-63, Benton Harbor, MI 49022
1.8	Emergency Phone:	Poison Control Center (Medical): (866) 366-5048; CHEMTREC: +1 (800) 424-9300 /+1 (703)527-3887
1.9	Business Phone:	1-800-643-0961 (USA), 1-888-253-2668 (CANADA)

2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according
		to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia)
		WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED.
		HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.
		Classification: Aerosol level 1; Category 2 Flammable aerosol; Eye Irrit. 2
		Hazard Statements (H): H-223 – Flammable Aerosol. H229 – Pressurized container: may burst
		if heated. H320 – Causes eye irritation.
		Precautionary Statement (P): P210 – Keep away from heat, hot surfaces, sparks, open flames
		and other ignition sources. No Smoking. P211 – Do not spray on an open flame or other
		ignition source. P251 – Do not pierce or burn, even after use. IF IN EYES: Rinse continuously
		with water for several minutes. Remove contact lenses if present and easy to do - continue
		rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P410+P412 –
		Protect from sunlight. Do not expose to temperature exceeding 50°C (122 °F). P501 – Dispose
		of contents/container to licensed and permitted disposal or recycling facility.

3. COMPOSITION & INGREDIENT INFORMATION							
Substance / Chemical Name(s) CAS No.		EINECS No.	%	Other			
ISOBUTANE	75-28-5	200-857-2	1 - 10	Flam. Gas 1; H220			
PROPANE	74-98-6	200-827-9	1 - 10	Press. Gas 1; Flam. Gas 1; H220			

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		<u>Skin:</u>	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.
		<u>Eyes:</u>	If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.
		Inhalation:	Remove victim to fresh air and keep comfortable for breathing.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.
		<u>Skin:</u>	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
		Eyes:	Moderately irritating to the eyes.
		Inhalation:	Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion,



affresh.

SPECIALIZED CLEANERS

Pr	epared to OSHA, ACC, ANS	SI, NOHSC, WHM	IIS, 2001/58 & 1272/2008/EC Standards SDS Rev	ision: 1. SDS Revision Date: (01/18/2017				
			and difficulty breathing. Inhalation of concentrate (e.g., drowsiness, dizziness, headaches, nausea).	ed vapors can cause nervous syste	m depression				
4.3	Symptoms of Overexposure	Ingestion:	May cause nausea, vomiting and/or diarrhea and	central nervous system depressio	n.				
	.,	Skin:	Prolonged contact with skin may result in bleachi allergic skin reactions (e.g., rashes, welts, dermat overexposure may include redness, itching, and in	ng and irritation of skin. The produ itis) in some sensitive individuals.	uct can cause				
		<u>Eyes:</u>	Overexposure in eyes, may cause redness, itching and watering (risk of serious damage to eyes) Contact may cause mild eye irritation including stinging, watering and redness.						
		Inhalation:	Symptoms of overexposure can include coughing, wheezing, nasal congestion, and diffi breathing.						
4.4	Acute Health Effects:		tion to eyes and skin near affected areas. Additiona ziness, headaches and nausea.	ally, high concentrations of vapors	can cause				
4.5	Chronic Health Effects:	be irritating to	chronic health effects are expected to occur from a skin and mucous membrane of the eye and respira ome sensitive individuals. May also induce skin sen itis.	tory system. Overexposure may tr	igger asthma-like				
1.6	Target Organs:	Eyes, skin, resp	iratory system.						
1.7	Medical Conditions		azards may be delayed. Most common symptoms	HEALTH	1				
	Aggravated by Exposure		g properties to eyes, respiratory system and skin.	FLAMMABILITY	3				
		-	tological conditions (such as eczema) and	PHYSICAL HAZARDS	0				
			ditions (such as bronchial asthma and/or / be exacerbated.	PROTECTIVE EQUIPMENT	В				
		bronenitis) may	be exactibated.	EYES SKIN					
			5. FIREFIGHTING MEASURES						
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	spraying them of Water Fog, Foa As in any fire, w demand_and f spray to cool fir from fire contro waterway. Firef contained brea	ids and/or exposed gases if exposed to the heat of i with water until the fire has been extinguished. m, CO ₂ , Dry Chemical wear MSHA/NIOSH approved self-contained breathi ull protective gear. Keep containers cool until well a re-exposed surfaces and to protect personnel. Fight ol or dilution from entering sewers, drains, drinking fighters must use full bunker gear including NIOSH- thing apparatus to protect against potential hazard products and oxygen deficiencies.	ng apparatus (pressure- after the fire is out. Use water fire upwind. Prevent runoff water supply, or any natural approved positive pressure self-					
	Castllan		6. ACCIDENTIAL RELEASE MEASU		Ducto ::				
6.1	Spills:	Equipment (PPI Small spills Wea combustible ma Do not use wat materials (e.g., container. Large spills: Kee release. Isolate	g any spill or leak, individuals involved in spill clean. E). ar appropriate personal protective equipment inclu aterial such as vermiculite or sand to soak up the pr er or a material such as "speedy dry" to soak up ma plastic brooms, shovels, dustpans) and place into a ep incompatible materials (e.g., organics such as oil immediate hazard area and keep unauthorized per mal risk. Wear appropriate protective equipment i	ding gloves and protective eyewe oduct and place into a container f iterial. Sweep up material using no plastic container or plastic liner w) away from spill. Stay upwind and sonnel out of area. Stop spill or re	ar. Use a non- for later disposal. on-sparking vithin another l away from spill o lease if it can be				
		7. H	ANDLING AND STORAGE INFOR	MATION					
	Work & Hygiene		nk, or smoke while handling this product. Contents		d puncturing				

SAFETY DATA SHEET



P	epared to OSHA, ACC, AN	SI, NOHSC, WHMIS, 20	01/58 & 12	/2/2008/EC S	standards	SDS Revi	sion: 1.	SDS	Revision [Date: 01/1	18/2017
7.2	Storage and Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying, keep cap in place when not in use. Storage level 2.									
7.3	Special Precautions:	Spilled material may	present a s	lipping hazaro	d if left unat	tended. C	lean all spil	ls prom	nptly.		
	•	· · · ·	-								
		8. EXPOSU	RE CON	TROLS 8	PERSO	NAL P	ROTEC	TION	I		
3.1	Exposure Limits:		A	CGIH		NOHSC		(OSHA	OTHER	
	Ppm (mg/m ³)		TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		Chemical Name(s)		-	-		-		-		
		ISOBUTANE	600	750	NF	NF	NA	NA	NA	NA	
		PROPANE	1000	NA	1000	NF	NF	1000	NA	2100	
8.2	Ventilation & Engineering Controls	General mechanical exhaust ventilation t product. No special respirator	o effectively	remove and	prevent bu	ildup of va	apors or mi	st gene	erated from		
		use only protection a Canadian CAS Standa States, or Australia.									
8.4	Eye Protection:		None required under normal conditions of use. Avoid eye contact. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)).								
8.5	Hand Protection:	sensitive individuals.	None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.								
8.6	Body Protection:	lbs.), eye wash statio	No apron required when handling small quantities. When handling large quantities (e.g., \geq 5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.								
				0.000							
	1.		HYSICA	L & CHEN	VIICAL P	ROPE	RIIES				
9.1	Appearance:	Aerosol, Spray Foam									
).2	Odor:	Fresh Fruit									
).3	Odor Threshold	NA									
).4) 5	pH: Melting/Freezing Point	6.0 - 8.0									
9.5 9.6	Initial Boiling Point/	NA									
	Boiling Range:										
9 7	Elashpoint:	-30 °E (-34 °C) TCC fo	r propollopi	t only							

Odor: Odor Threshold pH: Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower	Fresh Fruit NA 6.0 - 8.0 NA NA -30 °F (-34 °C) TCC for propellant only.
pH: Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint:	6.0 - 8.0 NA NA
Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint:	NA NA
Initial Boiling Point/ Boiling Range: Flashpoint:	NA
Boiling Range: Flashpoint:	
Flashpoint:	-30 °F (-34 °C) TCC for propellant only.
	-30 °F (-34 °C) TCC for propellant only.
Upper/Lower	
	NA
Flammability limits	
Vapor Pressure:	@ 20 °C (68° F) – Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar
Vapor Density	>1
Relative Density:	0.95 – 1.005
Solubility:	Soluble
Partition Coefficient	NA
(log Pow):	
Autoignition	NA
Temperature:	
Decomposition	NA
Temperature.	
Viscosity:	Aerosol at ambient temperature
Other Information:	Evaporation Rate >1: Percent Volatile < 12%
	Iammability limits /apor Pressure: /apor Density Relative Density: Solubility: Partition Coefficient log Pow): Autoignition Temperature: Decomposition Temperature. /iscosity:



SDS Revision Date: 01/18/2017

		10. STABILITY & REACTIVITY
10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous	
	Decomposition	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂)
	Products:	
10.3	Hazardous	Mall and another
	Polymerization:	Will not occur.
10.4	Conditions to Avoid	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product was not tested on animals. Toxicology data, found in scientific literature, is available and not presented in
		this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3
	Biological Exposure	
_	Indices:	NA
11.9	Physician	
	Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
	Effects on Plants & Animals	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	The product itself has not been tested as a whole. There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and
		appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with
		local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed
		facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)
		14. TRANSPORTATION INFORMATION
14.1	49 CFR (GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL <u>< 1</u> .0 L); or
		CONSUMER COMMODITY, ORM-D (IP VOL < 1.0 L) – until 12/31/2020
14.2	IATA (AIR)	UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL <u>< 0.5 L</u>); or
		ID8000, CONSUMER COMMODITY, ORM-D (IP VOL < 0.5 I=L)
14.3	IMDG (OCN):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)
14.4	TDGR (Canadian GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or
		MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"
14.5	ADR/RID (EU):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)
14.6	SCT (MEXICO):	UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL < 1.0 L)
14.7	ADGR (AUS):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.
	•	



Pr	epared to OSHA, ACC, AN	SI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1. SDS Revision Date: 01/18/2017
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics)
15.6	Other Canadian	This product has been classified according to the hazard criteria of the CPR and the SDS
	Regulations:	contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)
15.7	State Regulatory Information:	<u>Isobutane</u> is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know list (PA), New Jersey Right-to-Know List (NJ). <u>Propane</u> can be found on the following state criteria lists: MA, MN, PA, WA and NJ. No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following
		state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Isobutane:</u> Flammable (F). <u>Risk Phrases (R)</u> 12 – Highly Flammable. <u>Safety Phrases (S)</u> : 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking. <u>Propane</u> : : Flammable (F). Risk Phrases (R) 12 – Highly Flammable. Safety Phrases (S): 2-9-16 – Keep out of reach of children. Keep container in a well-ventilated area. Keep away from sources of ignition – No smoking.
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION. Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperature exceeding 50 °C (122 °F). IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of Whirlpool Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.



SPECIALIZED CLEANERS	SAFETY DATA SHE	ET	Page 7 of 7	,
Prepared to OSHA, ACC, ANSI, NOHSC, W	/HMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.	SDS Revision Date: 01/18/2	2017
Full Face Respirator	Reactive	Irritant /	Harmful	
Biohazard	Oxidizing	Flamm	able	
Infectious	Corrosive	Compre	essed	
Toxic	Irritation			